

2026

eterna.

Bulkheads.

PlugPack Compatible

Simplifying stock management and flexibility onsite.

PlugPack is a game-changer for wholesalers and installers. Reduce the range of variations needed in stock and easily upgrade Eterna lights yourself with emergency, step dim and microwave functionality - simply by clicking into the base unit or LED tray.

Wherever the PlugPack logo is located, this indicates the compatibility with the same three accessories: promising lower demands for stock variability and easier installation for installers on the move.

Simple. Smart. PlugPack.



3W Standard and Self-Test Switchable Emergency Module with both functions selectable via a switch.



On/Off microwave sensor, featuring dip-switch adjustment for detection area, hold time and daylight threshold.



Step dim microwave sensor, combining two functions in a single module.

Orba.

Multiple 20mm conduit entries and a rear BESA fixing point enables the fitting to suit a number of applications, while the plug and play emergency and microwave sensor accessories offer quick and convenient flexibility.

- Power selectable: 8W, 14W, 16W
- CCT selectable: 2700K, 3000K, 4000K, 5000K, 6000K
- Multiple 20mm conduit entry points and rear BESA mounting
- Twist on opal diffuser, clip on white trim and hinged LED tray
- Plug and play accessories
- Loop in, loop out push fit terminals



PlugPack
Compatible



Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
E02B2W	Mini, White	9/12	1040-1400	115-116	260 x 75
E02BAACW	Standard, White	8/14/16	1000-1900	119-125	316 x 74
E02B4W	Large, White	16/20/24	1870-2650	111-119	400 x 78

PlugPack Accessories	
E02U01ES	2-in-1 Emergency Pack
E02U01MW	On/Off Microwave Sensor
E02U01SD	Step Dim MW Sensor


Trim Accessories	
E02B2TB	Mini Full Trim Black
E02B2TC	Mini Full Trim Chrome
E02BATB	Standard Full Trim Black
E02BATC	Standard Full Trim Chrome
E02BATIB	Standard Eyelid Trim Black
E02BATIW	Standard Eyelid Trim White
E02B4TB	Large Full Trim Black
E02B4TC	Large Full Trim Chrome



Lina.

The Lina is an IP66 amenity bulkhead that offers flexibility with 3 adjustable wattages and 5 colour temperatures. The Lina can suit both residential or commercial settings including perimeter lighting, paths, gardens, and staircases.

- Power selectable 8W, 14W, 16W
- CCT selectable 2700K, 3000K, 4000K, 5000K, 6000K
- Central integrated emergency LED array
- Fastened opal polycarbonate diffuser with a twist on trim
- Hinged LED tray
- Two 20mm rear cable entries and central mounted BESA point
- Loop in, loop out push fit terminals



PlugPack
Compatible

IP66

IK08

5 Year

50k
Hours

CCT

120°

Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
E02LNACB	Black Full Trim	8/14/16	1000-1900	119-125	305 x 70
E02LNACIB	Black Eyelid Trim	8/14/16	500-1000	63	305 x 70
E02LNACW	White Full Trim	8/14/16	1000-1900	119-125	305 x 70
E02LNACIW	White Eyelid Trim	8/14/16	500-1000	63	305 x 70

PlugPack Accessories

E02U01ES	2-in-1 Emergency Pack
E02U01MW	On/Off Microwave Sensor
E02U01SD	Step Dim MW Sensor



Kora.

Multiple conduit entries and a BESA fixing point enables the fitting to suit a number of applications, while the plug and play emergency and microwave sensor accessories offer quick and convenient flexibility.

- Power selectable 8W, 14W, 16W
- CCT selectable 2700K, 3000K, 4000K, 5000K, 6000K
- Multiple 20mm conduit entry points and rear BESA mounting
- Opal screw on diffusers
- Loop in, loop out push fit terminals
- Clip-on decorative trims available
- Photocell version preset dusk till dawn operation



PlugPack
Compatible

IP65

IK10

5 Year

50k
Hours

CCT

120°

Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
E02KRAC	Standard	8/14/16	1000-1900	119-125	300 x 95
E02KRAC6	Photocell	8/14/16	1000-1900	119-125	300 x 95

PlugPack Accessories

E02U01ES	2-in-1 Emergency Pack
E02U01MW	On/Off Microwave Sensor
E02U01SD	Step Dim MW Sensor

Trim Accessories

CIRCBK	Black Full Trim
CIRCWH	White Full Trim
CIRCCR	Chrome Full Trim
EYEBK	Black Eyelid Trim
EYEWLH	White Eyelid Trim




Reba Square.

The Reba square utility bulkhead comes with opal and prismatic diffusers, in white or black to suit varying project requirements.

Multiple conduit entries and a BESA fixing point ensures multiple install methods are met, while the plug and play emergency and microwave sensor accessories offer quick and convenient flexibility.

- Power selectable: 8W, 14W, 16W
- CCT selectable: 2700K, 3000K, 4000K, 5000K, 6000K
- Multiple 20mm conduit entry points and rear BESA mounting
- Prismatic and opal screw on diffusers
- Plug and play emergency pack and on/off or step dim sensors available
- Loop in, loop out push fit terminals



IP65

IK10

5 Year

50k Hours

CCT

120°

PlugPack
Compatible

Code	Version	Wattage	Lumens	lm/W	Size (mm)
E02RAS2B	Black, Square, Opal	8/14/16	1000-1950	122-125	255 x 255 x 85
E02RAS2W	White, Square, Opal	8/14/16	1000-1950	122-125	255 x 255 x 85
E02RAS1B	Black, Square, Prismatic	8/14/16	1200-2145	134-150	255 x 255 x 85
E02RAS1W	White, Square, Prismatic	8/14/16	1200-2145	134-150	255 x 255 x 85

PlugPack Accessories

E02U01ES	2-in-1 Emergency Pack
E02U01MW	On/Off Microwave Sensor
E02U01SD	Step Dim MW Sensor



Reba Circular.

The Reba circular utility bulkhead comes with opal and prismatic diffusers, in white or black to suit varying project requirements.

Multiple conduit entries and a BESA fixing point ensures multiple install methods are met, while the plug and play emergency and microwave sensor accessories offer quick and convenient flexibility.

- Power selectable: 8W, 14W, 16W
- CCT selectable: 2700K, 3000K, 4000K, 5000K, 6000K
- Multiple 20mm conduit entry points and rear BESA mounting
- Prismatic and opal screw on diffusers
- Plug and play emergency pack and on/off or step dim sensors available
- Loop in, loop out push fit terminals



IP65

IK10

5 Year

50k Hours

CCT

120°

PlugPack
Compatible

Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
E02RAC2B	Black, Circular, Opal	8/14/16	1000-1950	122-125	Ø 288 x 85
E02RAC2W	White, Circular, Opal	8/14/16	1000-1950	122-125	Ø 288 x 85
E02RAC1B	Black, Circular, Prismatic	8/14/16	1200-2145	134-150	Ø 288 x 85
E02RAC1W	White, Circular, Prismatic	8/14/16	1200-2145	134-150	Ø 288 x 85

PlugPack Accessories

E02U01ES	2-in-1 Emergency Pack
E02U01MW	On/Off Microwave Sensor
E02U01SD	Step Dim MW Sensor



Saya.

The Saya bulkhead features a sleek dome diffuser with power and colour switchable option, allowing seamless adaptation to any environment.

Crafted from robust polycarbonate, it delivers long-lasting performance in both indoor and outdoor settings.

- Power selectable 8W, 14W, 16W
- CCT selectable, 2700K, 3000K, 4000K, 5000K, 6000K
- Up to 116lm/W
- BESA mounting option
- Twist on diffuser trim and a hinged LED tray
- Available accessories in black trim or chrome trim
- Plug and play emergency pack, microwave sensor, plus a microwave sensor with step dim function
- Loop in, loop out push fit terminals



PlugPack
Compatible

IP65

IK10

5 Year

50k
Hours

CCT

120°

Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
E02SYAC	Standard, White	8/14/16	935-1760	110-116	325 x 110

PlugPack Accessories		Trim Accessories	
E02U01ES	2-in-1 Emergency Pack	E02SYTB	Full Black Trim
E02U01MW	On/Off Microwave Sensor	E02SYTC	Chrome Full Trim
E02U01SD	Step Dim MW Sensor		



Moon.

The Moon bulkhead is a decorative IP54 trimless luminaire with 3 adjustable colour temperatures with an output of over 1900 lumens to suit a range of commercial and domestic applications.

The slim line design and wide light distribution creates a contemporary feel and comes complete with a concealed push release mounting bracket for ceiling and wall installations. A range of full and eyelid clip on trim accessories are available in black and white to suit different design requirements.

- High lumen efficiency 110lm/w
- CCT Switchable 3000K, 4000K, 6000K
- Concealed white base with push release rear mounting bracket
- Trimless design, full and eyelid trims available
- Rear connection with push fit terminals



IP54

IK06

5 Year

50k
Hours

CCT

120°

Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
E02MN28C	Circular, Opal, Trimless	18	1980-1985	110	280 x 50

Accessories	
E02MN28TB	Full Trim Black
E02MN28TW	Full Trim White
E02MN28TIB	Eyelid Trim Black
E02MN28TIW	Eyelid Trim White
E02MN28TI2B	Keyhole Trim Black
E02MN28TI2W	Keyhole Trim White



Skye.

The Skye is a durable IP65 aluminium bulkhead. Designed with a polycarbonate diffuser and multiple conduit entries.

Available with full and eyelid trims and in a range of variants including emergency, step dim and on/off microwave, to suit a number of applications.

- Power selectable 8W, 14W, 16W
- CCT selectable 2700K, 3000K, 4000K, 5000K, 6000K
- IP65 and IK10 rating
- Robust aluminium construction with captive stainless steel screws
- Multiple 20mm conduit entry points with loop in, loop out push fit terminals
- Available in Emergency, On/Off Microwave and Step Dim versions



IP65

IK10

5 Year

50k Hours

CCT

120°

Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
E02SKACB*	Black Full Trim	8/14/16	900-1700	106-113	360 x 70
E02SKACIB*	Black Eyelid Trim	8/14/16	610-1200	75-76	360 x 70
E02SKACW*	White Full Trim	8/14/16	900-1700	106-113	360 x 70
E02SKACIW*	White Eyelid Trim	8/14/16	610-1200	75-76	360 x 70

Code Suffix*	Version
1	2-in-1 Emergency
2	On/Off Microwave
3	2-in-1 Emergency, On/Off Microwave
4	Step-Dim Microwave
5	2-in-1 Emergency, Step-Dim Microwave



Carina.

A versatile range of decorative bulkheads, offering practicality and style with multiple functional options – perfect for superior leisure, hotels & outdoor applications.

- Polycarbonate construction
- Full circular LED array
- IP65, ceiling or wall mounted
- Central BESA box mounting option on the base
- Colour temperature selectable – options of 3100K, 4200K & 6400K easily set by a dip switch on the gear tray
- Plug in connector between the terminal block and the gear tray. Terminal block is located on the base, allowing for easy wiring and the gear tray to be removed during installation



IP65

IK08


5 Year

50k Hours

CCT

120°

Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
CSLEDWH	Standard, White	17	1480-1580	87-93	325 x 110
CSLEDWHEM3	Emergency, White	17	1480-1580	87-93	325 x 110
MSCSLEDWH	Microwave, White	17	1480-1580	87-93	325 x 110
MSCSLWHEM3	Emergency, MW, White	17	1480-1580	87-93	325 x 110
SDCSLWHEM3	Emergency, SD, White	17	1480-1580	87-93	325 x 110
CSLEDCR	Standard, Chrome	17	1480-1580	87-93	325 x 110
CSLEDCREM3	Emergency, Chrome	17	1480-1580	87-93	325 x 110
MSCSLEDCR	Microwave, Chrome	17	1480-1580	87-93	325 x 110
MSCSLCREM3	Emergency, MW, Chrome	17	1480-1580	87-93	325 x 110
SDCSLEDCR	Step Dim MW, Chrome	17	1480-1580	87-93	325 x 110
SDCSLCREM3	Emergency, SD, Chrome	17	1480-1580	87-93	325 x 110




Universal Retrofit Gear Tray.

The universal retrofit LED gear tray is ideal for the replacement or upgrade of existing bulkheads, with 3 adjustable outputs and 5 colour temperature options built-in.

Suitable for a number of applications and available in a range of variants including, emergency or microwave.

- Power selectable 8W, 14W, 16W
- CCT selectable, 2700K, 3000K, 4000K, 5000K, 6000K
- Wide optics engineered for an even distribution
- Multiple keyhole slots, will fit many existing 2D fittings
- Sensor version; on/off microwave, with adjustable time, lux and detection area
- Emergency version; standard or self-test built in



5 Year

50k
Hours

CCT

120°

Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
E02G01AC	Standard	8/14/16	1300-2400	150-163	250 x 40
E02G01AC1	2-in-1 Switchable Emergency/Self-Test	8/14/16	1300-2400	150-163	250 x 40
E02G01AC2	On/Off Microwave	8/14/16	1300-2400	150-163	250 x 40
E02G01AC3	2-in-1 Switchable Emergency/Self-Test, On/Off Microwave	8/14/16	1300-2400	150-163	250 x 40
E02G01AC4	Step Dim Microwave	8/14/16	1300-2400	150-163	250 x 40
E02G01AC5	2-in-1 Switchable Emergency/Self-Test, Step Dim Microwave	8/14/16	1300-2400	150-163	250 x 40



Cassi.

Cassi circular compact bulkhead range offers a practical solution for areas requiring a small bulkhead. A design ideal for utility areas: wall or ceiling mounted. Available in two sizes to suit different output requirements.

IP54 | IK08 | 4000K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
KCAS8BKFL	Black, full trim	8	900	113	173 x 51
KCAS8WHFL	White, full trim	8	900	113	173 x 51
KCAS14BKFL	Black, full trim	14	1570	112	228 x 51
KCAS14WHFL	White, full trim	14	1570	112	228 x 51

External Polycarbonate Bulkhead.

General purpose IP65 mini LED bulkhead available with or without an integral photocell. Front opal diffuser creates an effective and efficient light output for functional applications such as, porch lighting, side access and security lighting.

IP65 | IK08 | 4000K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
KRECB0PL	Standard	10	1045	105	230 x 110 x 105
KRECB0PLPC	Photocell	10	1045	105	230 x 110 x 105

Bulkhead with E27 Lampholder.

IP65 Bulkhead with E27 Lamp Holder. Requires 1x suitable E27 lamp (not included). Easy connection directly into the lampholder. Pre-formed 20mm cable entry knockouts on each end and one on rear

IP65 | IK08 | 1 Year Warranty



Code	Version	Size (mm)
BH100E27	E27	238 x 110 x 110

White Utility Bulkhead.

A simple compact bulkhead with multiple 20mm cable entries for quick and easy installation.

IP65 | 4000K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
ATOM5	Non-Dimmable	6	710	118	165 x 115 x 75

CCT PIR Bulkhead.

Durable and attractive oval waterproof bulkhead with selectable CCT and PIR, perfect for exteriors and high-traffic circulation areas.

IP65 | IK05 | 3000K/4000K/6000K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
BHPIRCS	PIR	10	1166-1252	117-125	210 x 120 x 65

Prismatic Bulkhead.

Energy efficient LED alternative to traditional bulkheads. Small robust bulkhead that offers durability for domestic and light commercial applications.

IP44 | IK08 | 3100K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
BLEDBK	Standard	7	500	71	265 x 115 x 110
BLEDPIRBK	PIR	7	520	74	265 x 115 x 110

We Are eterna.

Eterna has been a specialist supplier of lighting, heating, and electrical products to the UK and Irish trade markets since 1946. We provide wholesale-friendly, energy-efficient, and cost-effective solutions that meet the diverse needs of stock and project requirements across the residential, commercial, amenity, and industrial sectors.

We are a dedicated team offering our advice and expertise through your entire buying journey, from stocking solutions, lighting design and technical support. It's our mission to provide invaluable service to everyone.

As part of a client relationship, you will be supported by our external sales force, who will provide regular face-to-face contact, showcasing new products, upgrades and marketing support. They will be backed by our dedicated internal teams, all working together to consistently exceed market expectations with our exceptional service levels.



Lighting Design.

eterna-lighting.co.uk/lighting-design-schemes

New Products.

eterna-lighting.co.uk/new-products

Marketing.

Point of sale, digital artwork and event support

Battery Replacement Service.

eterna-lighting.co.uk/battery-replacement-service

eterna.

eterna-lighting.co.uk
UK: enquiries@eterna-lighting.co.uk | 01933 673144
IE: sales@eterna-lighting.ie | +353 1 844 6300

Eterna Lighting Ltd, Huxley Close, Wellingborough, Northants NN8 6AB
Registered in England No. 410716 | VAT REG: No. GB 229 3783 37

O'Neills Electrical Ltd trading as Eterna Ireland, Unit B4D, Airport Business Park, Cloghran, Co. Dublin, K67 X7H
Co. Reg. No. IE 018423 | WEEE Reg. No. 00093WB | VAT Reg. No. IE 8R73602D

