



eterna.

Emergency Lighting.

Emergency Bulkhead.

High power maintained emergency bulkhead incorporating 3 rows of LEDs for higher output and a more even distribution across the fixture.

- Hinged gear tray & push fit terminal block
- 20mm gland entries as standard
- Viewing distance 20m
- High output LEDs 350 lumens in mains mode and 200 lumens in emergency mode
- LiFePO4 5 year warranty
- EMELED3M ICEL Certified 001-066



IP65

5 Year

30k Hours

120°

Code	Version	Wattage	Lumens	Size (mm)
EMLED3M	Maintained Emergency, Signs Directive Set, 6000K	4	350	355 x 110 x 70
EMLED3NM	Non-Maintained Emergency, Signs Directive Set, 6000K	2	150	355 x 110 x 70
Accessories				
LGDSET	Signs Directive Legend Sticker Set			
ISOLGDSET	ISO 7010 Adhesive Sticker Legend Set			
BULKFRAME	Recessed Bulkframe for the EMELED3 Range			



Maintained Emergency Bulkhead.

IP65 | 6000K | 5 Year Warranty | 120° | LiFePO4
5 Year Warranty



Code	Version	Wattage	Lumens	Size (mm)
KEM3BULKLI	Maintained Emergency, ISO Legend Set, 6000K	3	240	355 x 110 x 70
Accessories				
BFRAME	Semi-Recessed Bulkframe			
LGDSET	Signs Directive Legend Sticker Set			
KEM3DS	Drop Down Accessory with Legend			

Self-Test Maintained Emergency Bulkhead.

IP65 | 6400K | 5 Year Warranty | 120° | LiFePO4
5 Year Warranty



Code	Version	Wattage	Lumens	Size (mm)
SEMEM3	Maintained Self-Test Emergency, ISO Legend set, 6400K	4	270	355 x 110 x 70
Accessories				
BFRAME	Semi-Recessed Bulkframe			
LGDSET	Signs Directive Legend Sticker Set			
KEM3DS	Drop Down Accessory with Legend			



Vorto.

The Vorto IP65 emergency twin spot with 2 adjustable heads giving a combined 500 lumen output for emergency situations. The Vorto is designed for simple and quick installation with a clip on front cover and the use of push fit terminals perfect for commercial, industrial and warehouse applications.

- Polycarbonate IP65 IK08 construction
- Twin 2.5W LED adjustable and tiltable heads
- Quick fit cover and push fit terminals
- 20mm side entry points
- 3 hour non-maintained manual test function
- LiFePO4 5 year warranty
- ICEL Certified (001-069)



Code	Version	Wattage	Lumens	Size (mm)
E01VT65EM	Non-maintained Emergency, 6000K	5	500	297 x 282 x 70




Internal Emergency Twinspot.

IP20 | IK08 | 6400K | 5 Year Warranty | 120° | LiFePO4
5 Year Warranty



Code	Version	Wattage	Lumens	Size (mm)
KTWINSPLI	Non-maintained Emergency, 6400K	4	450	285 x 250 x 50



Internal Self-Test Emergency Twinspot.

IP20 | IK08 | 6000K | 5 Year Warranty | 120° | LiFePO4
5 Year Warranty



Code	Version	Wattage	Lumens	Size (mm)
SETSPOT	Self-Test Emergency, 6000K	4.5	437	284 x 250 x 51



LDLEM3 Emergency Downlight.

This LED compact recessed emergency light is ideal for use in corridors, stairwells and commercial spaces that require a discreet emergency solution.

- Aluminium construction
- Matt silver and white trims included
- 32mm diameter hole cut out size
- LiFePO4 5 Year Warranty
- ICEL Certified 001-068



IP20

5 Year

120°

Code	Version	Wattage	Lumens	Ø x H (mm)
LDLEM3	Emergency, 6000K	1.4	120	32 x 230
SELDLEM3	Emergency, Self-Test	1.4	118	45 x 230



Emergency 2W Downlight.

IP20 | 5 Year Warranty | 120° | Black, Silver, White Bezels
included | LiFePO4 5 Year Warranty



Code	Version	Cut Out (mm)	Wattage	Lumens	Ø x H (mm)
LDLEM3LI	Emergency	50	2	160	60 x 210



Self-Test Surface Mount Emergency Downlight.

IP20 | 6000K | 5 Year Warranty | 120° | LiFePO4
5 Year Warranty



Code	Version	Wattage	Lumens	Ø x H (mm)
SESMDLEM3	Self-Test Emergency	3	175	150 x 45
Accessories				
SESMDCL	Corridor Lens For SESMDLEM3			



Slimline Emergency Exit Box.

A slim emergency exit box with a hinged front for simple installation with a viewing distance of 29m. Perfect for hospitality, retail and commercial applications.

- Wall mounted hinged polycarbonate design
- LED array on base for downward illumination
- ISO 7010 down, up, left and right legends
- LiFePO4 5 Year Warranty



IP20

5 Year

50k Hours

120°


Code	Version	Wattage	Lumens	Size (mm)
E0ISB1	Black, 6000K	2	27	325 x 187 x 30
E0ISW1	White, 6000K	2	27	325 x 187 x 30
Accessories				
E0ISD	Signs Directive Down Arrow Legend			
E0ISUP	Signs Directive Up Arrow Legend			
E0ISR	Signs Directive Right Arrow Legend			
E0ISL	Signs Directive Left Arrow Legend			



Emergency Exit Box.

- 3 hour maintained or non-maintained operation
- Viewing distance: 32m
- Interchangeable Signs Directive down arrow included
- LiFePO4 5 year warranty
- ICEL Certified 001-067

IP20 | 6500K | 5 Year Warranty | 30,000 Hours | 110°



Code	Version	Wattage	Lumens	Size (mm)
EXIT3MLED	Emergency	4	55	390 x 192 x 60
Accessories				
EBLGDL		Signs Directive Left Legend		
EBLGDR		Signs Directive Right Legend		
EBLGDU		Signs Directive Up Legend		
ISOEBLGDU		ISO 7010 Up Arrow Legend		
ISOEBLGDR		ISO 7010 Right Arrow Legend		
ISOEBLGDD		ISO 7010 Down Arrow Legend		
ISOEBLGDL		ISO 7010 Left Arrow Legend		

Compact Emergency Exit Box.

IP20 | 6200K | 5 Year Warranty | 120° | LiFePO4
5 Year Warranty



Code	Version	Wattage	Lumens	Size (mm)
VECOEXIT3M	Emergency	4	70	300 x 180 x 40
SEEXITLI	Emergency	4	80	300 x 180 x 40
Accessories				
VECOISOD		ISO 7010 Down Arrow Legend		
VECOISOL		ISO 7010 Left Arrow Legend		
VECOISOR		ISO 7010 Right Arrow Legend		

Recessed Maintained Exit Sign.

The 2.5W LED recessed maintained emergency exit sign is designed with a slim low profile construction and provides visibility during both normal operation and emergency conditions. Perfect for commercial and retail applications.

- Polycarbonate body with edge lit acrylic
- ISO 7010 down arrow fitted as standard with additional up, left and right legends included
- Suitable for cut out 330-365mm x 45-75mm
- LiFePO4 5 Year Warranty



IP20

5 Year

50k Hours

Code	Version	Wattage	Lumens	Size (mm)
E01RE1	Emergency, 6000K	2.5	50	380 x 224 x 90
Accessories				
E01REC	Filler Frame for Replacing LEDMDDEM3			400 x 135 x 2



Hanging Emergency Exit Sign.

- Remote connection box complete with adjustable length suspension cable (max. 80cm)
- Supplied with a double-sided exit legend
- Viewing distance 29m

IP20 | 6500K | 5 Year Warranty | 25,000 Hours | 110° | LiFePO4 5 Year Warranty



Code	Version	Wattage	Lumens	Size (mm)
SIGNLEDEM3	Emergency	3	50	340 x 227 x 45
Accessories				
SIGNLGD	Signs Directive Left/Right Arrow Legend			
SIGNLGDUP	Signs Directive Up Arrow Legend			
ISOSIGNLR	ISO 7010 Left/Right Arrow Legend			
ISOSIGND	ISO 7010 Down Arrow Legend			
ISOSIGNUP	ISO 7010 Up Arrow Legend			

Multi-Fixing Exit Sign.

- Ceiling, side, wall mounted and suspended
- 1m suspension cable included
- Recessed option available with EXITREC
- Supplied with ISO 7010 up arrow
- 3 hour maintained mode or non-maintained
- Viewing distance 30m

IP20 | 6000K | 5 Year Warranty | 120° | LiFePO4 5 Year Warranty




Code	Version	Wattage	Lumens	Size (mm)
EXITMMO	Emergency	2.8	38	350 x 235 x 42
Accessories				
EXITREC	White Recessed Mounting Kit for EXITMMO			
EMMOUP	Signs Directive Up Arrow Legend			
EMMOD	Signs Directive Down Arrow Legend			
EMMOLR	Signs Directive Left/Right Arrow Legend			
ISOMMOLR	ISO 7010 Left/Right Arrow Legend			
ISOMMOLRD	ISO 7010 Left/Right Down Arrow Legend			
ISOMMOLD	ISO 7010 Down Arrow Legend			

3W Remote LiFePO4 Emergency Battery Pack.



Code	Version	Wattage	Size (mm)
EBPM3LI	Standard	3	338 x 80 x 45

10-60V 100W Self-Test Emergency Battery Pack.



Code	Version	Wattage	Size (mm)
SEEBPM3	Self-Test	100	250 x 110 x 55

Battery Replacement Service.

Extend the life of your emergency products with a replacement of your Eterna batteries.

eterna-lighting.co.uk/battery-replacement-service



We Are eterna.

Eterna has been a specialist supplier of lighting, heating, and electrical products to the UK and Irish trade markets since 1946. We provide wholesale-friendly, energy-efficient, and cost-effective solutions that meet the diverse needs of stock and project requirements across the residential, commercial, amenity, and industrial sectors.

We are a dedicated team offering our advice and expertise through your entire buying journey, from stocking solutions, lighting design and technical support. It's our mission to provide invaluable service to everyone.

As part of a client relationship, you will be supported by our external sales force, who will provide regular face-to-face contact, showcasing new products, upgrades and marketing support. They will be backed by our dedicated internal teams, all working together to consistently exceed market expectations with our exceptional service levels.



Lighting Design.

eterna-lighting.co.uk/lighting-design-schemes

New Products.

eterna-lighting.co.uk/new-products

Marketing.

Point of sale, digital artwork and event support

Battery Replacement Service.

eterna-lighting.co.uk/battery-replacement-service

eterna.

eterna-lighting.co.uk

UK: enquiries@eterna-lighting.co.uk | 01933 673144

IE: sales@eterna-lighting.ie | +353 1 844 6300

Eterna Lighting Ltd, Huxley Close, Wellingborough, Northants NN8 6AB
Registered in England No. 410716 | VAT REG: No. GB 229 3783 37

O'Neills Electrical Ltd trading as Eterna Ireland, Unit B4D, Airport Business Park, Cloghran, Co. Dublin, K67 X7H
Co. Reg. No. IE 018423 | WEEE Reg. No. 00093WB | VAT Reg. No. IE 8R73602D

