



eterna.

Residential Lighting.



Residential


Bathroom Lighting.

Atlantic.

The Atlantic dual voltage shaver light delivers up to 900 lumens and three colour temperature selections. Designed to suit damp locations it comes complete with a self-close cover to the shaver socket and a opal diffuser for even light distribution.

The capacitive touch switch removes the need for a pull cord and the 'press to dim' function enables the user to adjust the brightness, a versatile shaver socket to suit single light applications or to compliment existing lighting schemes.

- Dual voltage, switch between 115V - 230V
- Self-close socket cover and opal diffuser
- CCT selectable 3000K, 4000K, 6500K
- Long press to adjust brightness
- White halo illuminated capacitive switch, halo can be disabled



Code	Version	Wattage	Lumens	lm/W	Size (mm)
E09ATCC	Chrome	11	900-950	82-86	510 x 62 x 60
E09ATCW	White	11	900-950	82-86	510 x 62 x 60



LED Dual Voltage Shaver Light.

Integrated LED shaver light with removable chrome caps to suit different styles.

IP44 | 3000K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
LEDSH44	LED	5.5	410	75	390 x 60 x 65

Dual Voltage Shaver Light with LED Lamp.

A versatile solution that offers efficient lighting as well as a convenient shaving accessory sockets. This clean and modern shaver light has a replaceable LED lamp for easy ongoing maintenance.

IP20 | 3000K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
LEDSDVO	S15 Lamp Included	6	400	67	435 x 57 x 65

Designer Style Over Mirror Light.

Contemporary designed alternative to a standard over-mirror light. Available in chrome or white to suit different design styles, integrated push switch for a sleek finish. The front opal diffuser offers well distributed light output to suit commercial and residential solutions.

IP21 | 3000K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
LEDOM5CR	Chrome Over Mirror	5	530	106	480 x 90 x 50
LEDOM5WH	White Over Mirror	5	530	106	480 x 90 x 50
LEDSH6CR	Chrome Shaver Light	6	530	88	480 x 90 x 50
LEDSH6WH	White Shaver Light	6	530	88	480 x 90 x 50

10W LED Over Mirror Light.

This stylish fitting is the perfect solution to provide additional task lighting in many applications. The fitting provides excellent light output and is a superb energy efficient and long-life alternative to fluorescent products.

IP44 | 3000K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
OMLED10	Pull Cord	10	1010	101	435 x 36 x 55

LED Mirror.

LED mirror light with dual voltage shaver socket with pull cord offering a simple upgrade to any bathroom environment. The two light apertures create a soft warm lighting effect.

IP44 | 3000K | 5 Year Warranty | 110°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
LEDMIRROR	Pull Cord	10.3	715	69	500 x 400 x 60

Pacific Ceiling Light.

IP44 | 3100K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
PACIFIC12	Standard	12	800	67	305 x 80



Residential

Cabinet Lighting.

Linear Under Cabinet LED Strip.

Linkable LED cabinet lights inclusive of accessories for easy installation. Use the sliding switch to choose between warm, cool or daylight white light to suit the requirement or preference.



IP20 | 3000K/4200K/6500K | 5 Year Warranty | 130°

Code	Version	Wattage	Lumens	lm/W	Size (mm)
LINKCS4	288mm	4	380-390	95-98	288 x 30 x 22
LINKCS9	549mm	9	896-905	100-101	549 x 30 x 22
LINKCS13	849mm	13	1264-1295	97-100	849 x 30 x 22
Accessories					
LINKL05	0.5m White Link Lead for Use with the LINKCS Range				

Cabinet Downlight.

Alternative energy efficient option to a traditional halogen lamp ideal for cabinet or kitchen under-cabinet lighting, giving a warm white ambient light for functional and subtle lit appearance.



IP20 | 3000K | 5 Year Warranty

Code	Version	Wattage	Lumens	lm/W	Beam (°)	Size (mm)
CLEDCIR	Nickel, Circular	1.7	160	94	100	Ø 70 x 33
CLEDCIRWH	White, Circular	1.7	160	94	100	Ø 70 x 33
CLEDTRI	Nickel, Triangle	1.7	160	94	90	120 x 120 x 41

LED Super Flat Strip Light.

Ultra low power consumption with excellent light output. The inclusion of a link lead and butt connector allows continuous linear, spaced linear or radial installations.



IP20 | 3000K | 5 Year Warranty | 120°

Code	Version	Wattage	Lumens	lm/W	Size (mm)
SFLWW9	Standard	1.8	230	128	350 x 18 x 9
SFLWW15	Standard	3	360	120	550 x 18 x 9
SFLDR36	Driver	36	-	-	140 x 30 x 45



Residential

Spotlights.

GU10 Single Spotlight.

Single spotlight is fitted on a central base with fully adjustable head an ideal solution for replacing pendant lighting or creating more focused lighting where required.

1 Year Warranty



Code	Version	Ø x H (mm)
SPOT1CR	Standard, Chrome	85 x 110
SPOT1SN	Standard, Nickel	85 x 110
SPOT1WH	Standard, White	85 x 110

GU10 Twin Bar Spotlight.

Contemporary design for a stylish interior spotlight solution with 2 adjustable heads to for directional light to suit a number of applications.

1 Year Warranty



Code	Version	Size (mm)
SPOT2CR	Standard, Chrome	140 x 355 x 50
SPOT2SN	Standard, Nickel	140 x 355 x 50
SPOT2WH	Standard, White	140 x 355 x 50

GU10 Triple Bar Spotlight.

Contemporary design for a stylish interior spotlight solution with 3 adjustable heads to for directional light to suit a number of applications.

1 Year Warranty



Code	Version	Size (mm)
SPOT3CRBAR	Standard, Chrome	140 x 565 x 50
SPOT3SNBAR	Standard, Nickel	140 x 565 x 50
SPOT3WHBAR	Standard, White	140 x 565 x 50



GU10 Quad Split Bar Spotlight.

Contemporary design for a stylish interior spotlight solution with 4 adjustable heads to for directional light to suit a number of applications.

1 Year Warranty



Code	Version	Size (mm)
SPOT4CR	Standard, Chrome	160 x 815 x 50
SPOT4SN	Standard, Nickel	160 x 815 x 50
SPOT4WH	Standard, White	160 x 815 x 50

GU10 Triple Plate Spotlight.


Triple spotlight is fitted on a central base with fully adjustable heads an ideal solution for replacing pendant lighting or creating more focussed lighting where required.

1 Year Warranty



Code	Version	Ø x H (mm)
SPOT3CRPL	Standard, Chrome	150 x 110
SPOT3SNPL	Standard, Nickel	150 x 110
SPOT3WHPL	Standard, White	150 x 110





Residential

Residential Downlights.

Fire Rated Downlight.

The FIRELEDPCS is a stylish, versatile and durable fitting with dimmable LED, selectable power and selectable CCT, plus fire rating for standard and I-Joist ceilings.

The FIRELEPCPS has a range of bezel finishes to suit the installation design and user preference. An ideal luminaire for residential properties.

- 60mm cut out diameter
- Fire-rated for individual 30, 60 and 90 minute ceiling types. Fire-rated for I-Joist ceiling types; separate 30 and 60 minute testing
- Power selectable rear-mounted dip switch
- CCT selectable; 3000K, 4200K or 6500K
- Suitable for loop-in loop-out connection



IP65

5 Year

50k Hours

CCT

60°

Code	Version	Cut Out (mm)	Wattage	Lumens	lm/W	Ø x H (mm)
FIRELEDPCS	Mains-Dimmable	60	5/8	475-849	93-106	86 x 48
Accessories						
FIRETRBK	Black Trim					
FIRETRCR	Polished Chrome Trim					
FIRETRSN	Brushed Nickel Trim					



Mains Low Voltage Ceiling Downlight Converter.

Converts traditional mains R50, R64 and R80 downlight and eyeball dimensions to modern GU10 or low voltage lighting: allows use of modern light source without expensive repairs & decoration.

IP20 | 1 Year Warranty



Code	Version	Ø x H (mm)
CR80CR	Standard, Chrome	150 x 125
CR80SN	Standard, Nickel	150 x 125
CR80WH	Standard, White	150 x 125



GU10 Mains Shower Light Converter.

Mains rated GU10 Shower light available in chrome, nickel and white suitable for installations within zones 1 and 2. The traditional downlight offers simple maintenance compared to integrated LED offering easy lamp change suitable for hole cut outs of 70mm.

IP65 | 1 Year Warranty



Code	Version	Wattage	Ø x H (mm)
SLGUCR	Standard, Chrome	50	83 x 40
SLGUSN	Standard, Nickel	50	83 x 40
SLGUWH	Standard, White	50	83 x 40







Residential

Garden Lighting.

Heki.

The Heki GU10 wall light is a simple and contemporary design to update garden or wall lighting. This stylish light is available in single or twin variations, and comes with GU10 lamp holders for the end user to decide on lit effect and brightness required shining light up and down a façade.

- Requires 1x 7W max. GU10 LED lamp per lampholder
- Contemporary design with halo design diffuser
- Polypropylene construction
- Easy lamp change



Code	Version	Size (mm)
E11HK1B	Single	107 x 86 x 86
E11HK2B	Twin	172 x 86 x 86



Heki Steel.

The Heki GU10 IP44 wall light is a simple and contemporary solution for enhancing exterior walls and garden spaces. Available in black and stainless steel the range includes single, twin and PIR versions.

Installed with GU10 lampholders enables the end user to choose the desired lamp and easy ongoing maintenance

- GU10 lampholder (GU10 not included)
- Black or stainless steel 304 construction
- 100° PIR version available with adjustable lux level and time adjustment from 10 seconds to 5 minutes



Code	Version	Finish	Size (mm)
E11H1B	Single	Black	120 x 100 x 85
E11H1BPIR	PIR, Single	Black	155 x 105 x 70
E11H2B	Twin	Black	160 x 100 x 85
E11H2BPIR	PIR, Twin	Black	215 x 105 x 70
E11H1S	Single	Stainless Steel	120 x 100 x 85
E11H1SPIR	PIR, Single	Stainless Steel	155 x 105 x 70
E11H2S	Twin	Stainless Steel	160 x 100 x 85
E11H2SPIR	PIR, Twin	Stainless Steel	215 x 105 x 70



Suta.

Suta is a sleek LED surface mount brick light designed to deliver subtle, reliable illumination for outdoor spaces.

Combining modern styling with durable construction, Suta enhances pathways, walls, and façades with efficient, long-lasting light.

- Direct and Low glare options available
- CCT selectable 3000K, 4000K, 6000K
- Grey or white trim option available



Code	Version	Wattage	Lumens	lm/W	Beam (°)	Size (mm)
E11SULGB	Direct Surface Guide Light, Black	4	400	100	140	230 x 80 x 25
E11SULGW	Direct Surface Guide Light, White	4	400	100	140	230 x 80 x 25
E11SULGG	Direct Surface Guide Light, Grey	4	400	100	140	230 x 80 x 25
E11SUDGB	Low Glare Surface Guide Light, Black	2	100	50	60	230 x 80 x 25
E11SUDGW	Low Glare Surface Guide Light, White	2	100	50	60	230 x 80 x 25
E11SUDGG	Low Glare Surface Guide Light, Grey	2	100	50	60	230 x 80 x 25



LED Deck/Plinth Light.

Mains voltage LED compact recessed fixture equally useful for exterior use such as deck lighting, or for interior use recessed into plinths. Complete with colour filters to suit different applications and pre-wired with 1 metre rubber cable.

IP65 | 4000K | 1 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Ø x H (mm)
DECKLED	LED	2	205	103	55 x 110



GU10 Deck Light With Stainless Steel Bezel.

GU10 deck light with stainless steel bezel with pre-wired 1m rubber cable for easy loop out facility from the 3 way terminal box. An ideal solution for uplighting within decking to highlight border areas, GU10 lamp holder allows easy maintenance for lamp replacement.

IP68 | 1 Year Warranty



Code	Version	Wattage	Ø x H (mm)
GDL50SS	GU10	50	110 x 110



Louvred Bollard.

1100mm black louvred bollard, constructed out of aluminium. The louvres create a discrete lighting effect. Suitable for surface or root mounting. The unit is complete with a E27 lamp holder to allow the end user to decide on lamp type and output up to a maximum of 100W.

IP44 | 1 Year Warranty



Code	Version	Wattage	Ø x H (mm)
B1100BKNL	E27	100	170 x 1100

Bricklight with Stainless Steel Frame.

A modern design that gives an instant cool white light. Ultra low energy consumption and prolonged lamp life. An opal diffuser with optional stainless steel frame, offering a soft, stylish lighting effect.

IP65 | 6000K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
BRICKLED	LED	4.5	285	63	105 x 233 x 75

Stainless Steel Wall Light.

Stainless Steel wall light is available in single, twin or single adjustable versions for uplighting and downlighting wall mounting applications, suitable for GU10 lamp heads for easy installation and replacement.

IP44 | 1 Year Warranty



Code	Version	Size (mm)
SSWLDIR	Single Adjustable	155 x 95 x 95
SSWLSING	Single Up or Down	120 x 95 x 60
SSWLTWIN	Twin Up and Down	156 x 95 x 60



Residential

Lanterns.



Full Lantern.

The full lantern is designed in tough polycarbonate to replace a traditional lantern or to update an outside space with a timeless style. The lantern comes with an E27 base for ease of maintenance. Requires 1x suitable ES lamp (not included).

IP44 | 1 Year Warranty



Code	Version	Wattage	Size (mm)
L60B	Standard, Black	60	374 x 177 x 228
PIRL60BK	PIR, Black	60	374 x 177 x 228

Half Lantern.

The half lantern is designed in tough polycarbonate to replace a traditional lantern or to update an outside space with a timeless style. The lantern comes with an E27 base for ease of maintenance. Requires 1x suitable ES lamp (not included).

IP44 | 1 Year Warranty



Code	Version	Wattage	Size (mm)
HL60B	Standard, Black	60	360 x 163 x 100
HL60WH	Standard, White	60	360 x 163 x 100
PIRHL60B	PIR, Black	60	360 x 163 x 100
PIRHL60WH	PIR, White	60	360 x 163 x 100

LED Full Lantern.

Energy efficient black LED lantern alternative to a traditional lantern with a tough polycarbonate construction.

IP44 | 3000K | 5 Year Warranty | 120°



Code	Version	Wattage	Lumens	lm/W	Size (mm)
VECOFBK	Standard, Black	7	420	60	400 x 175 x 220
VECOFPIRBK	PIR, Black	7	420	60	400 x 175 x 220



LED Half Lantern.

Energy efficient black LED lantern alternative to a traditional lantern with a tough polycarbonate construction.

IP44 | 3000K | 5 Year Warranty | 120°




Code	Version	Wattage	Lumens	lm/W	Size (mm)
VECOHBBK	Standard, Black	7	510	73	360 x 175 x 105
VECOHPIRBK	PIR, Black	7	420	60	360 x 175 x 105





CAUTION - RISK OF FIRE
DO NOT EXPOSE TO FLAME
MISE EN GARDE - RISQUE D'INCENDIE
NE PAS EXPOSER À LA FLAMME
TUN MAXIM
TUN MAXIM
ADVERTENCIA - RIESGO DE INCENDIO
NO EXPOSER A LA FLAMMA



Eterna's Free Lighting Design Service.

From concept through to product specification

Our free lighting design service offers detailed insight and solutions for commercial, residential, industrial and emergency lighting projects.

Our team of dedicated lighting designers have years of industry experience and are up to date with any changes to the lighting standards, including BS EN 60598-1 and BS EN 60598-2-22.

Whether commercial, industrial or residential, we approach each and every project in the same way. It involves building a close relationship with the specifier to understand the rooms, their function and creating a plan that offers a plan of lighting solutions that meets compliance but helps to create spaces that create well-lit and comfortable spaces for everyone.

We also ensure that all spaces are safe and compliant with all emergency lighting level standards.



We Are eterna.

Eterna has been a specialist supplier of lighting, heating, and electrical products to the UK and Irish trade markets since 1946. We provide wholesale-friendly, energy-efficient, and cost-effective solutions that meet the diverse needs of stock and project requirements across the residential, commercial, amenity, and industrial sectors.

We are a dedicated team offering our advice and expertise through your entire buying journey, from stocking solutions, lighting design and technical support. It's our mission to provide invaluable service to everyone.

As part of a client relationship, you will be supported by our external sales force, who will provide regular face-to-face contact, showcasing new products, upgrades and marketing support. They will be backed by our dedicated internal teams, all working together to consistently exceed market expectations with our exceptional service levels.



Lighting Design.

eterna-lighting.co.uk/lighting-design-schemes

New Products.

eterna-lighting.co.uk/new-products

Marketing.

Point of sale, digital artwork and event support

Battery Replacement Service.

eterna-lighting.co.uk/battery-replacement-service

eterna.

eterna-lighting.co.uk

UK: enquiries@eterna-lighting.co.uk | 01933 673144

IE: sales@eterna-lighting.ie | +353 1 844 6300

Eterna Lighting Ltd, Huxley Close, Wellingborough, Northants NN8 6AB
Registered in England No. 410716 | VAT REG: No. GB 229 3783 37

O'Neills Electrical Ltd trading as Eterna Ireland, Unit B4D, Airport Business Park, Cloghran, Co. Dublin, K67 X7H
Co. Reg. No. IE 018423 | WEEE Reg. No. 00093WB | VAT Reg. No. IE 8R73602D

